

VersiCharge Setup

Congratulations on your purchase of our cloud software subscription with Noodoe. The first step is to connect your charger to Siemens device manager.

Install & Commission:

1. Create a Care Portal account by clicking "[Link to webform](#)" in the "eMobility Subscriptions End User Information Needed" email your distributor forwards you.
2. Download **Sifinity Setup** on your phone with the QR below.
3. Commission chargers with **noodoes** as the charger group code
4. Scan Noodoe sticker with camera app per page 2.

Important Links:

Live Intro Training – Live Q&A to get you off to an easy start.

- bit.ly/4eJq77W

Noodoe – With EV OS, you can manage your chargers

- manager.noodoe.com

Siemens U. – Become a Noodoe Expert for free with easy on-demand classes.

- go.bluevolt.com/Siemens

Care Portal – Account management, renewals, & support.

- emobility.usa.siemens.com

Charger settings

Serial Number: VM33KW
Catalog Number: ASD2000024982
Firmware Version 2.0.0.2

Customer e-mail address
By using this e-mail address the charger will automatically be added to the customer's account.

Charger group code (optional)
Chargers can be assigned to existing VersiCloud charger groups using group codes. If no group code is provided, the charger will be added to the default group.
Firmware Version
Chargers in the group will be automatically updated to the firmware version defined for the group.

Additional settings

Activate RFID authentication

Select connection

Disconnect charger

Android



Apple



Adding VersiCharge to Your Noodoe Site

Instructions:

- **Step 1:**
Scan the QR code on the station label sticker with your camera app to access the Installer Panel and initiate the commissioning process. Tap "Enter Project Code"



Station Label Sticker Recommend Position:

Ensure the Station label sticker is affixed in the recommended position above lights.



Step 2:
Input project code from site directory

Step 3:
Verify Station ID matches sticker.

Step 4:
Choose station to commission.

Step 5
Scan QR manually enter S/N

Step 6:
Enter serial number

